


$CT\dots$
CTA
MRI
MRV
MRA
PET/CT
$NuclearMedicine \dots \dots$
Bone Density (DEXA) $\ \ldots \ \ldots$
$Mammography \ . \ . \ . \ . \ . \ . \ . \ . \ . \ $
$Ultrasound.\ \dots \dots$
X-RAY
Scan Table Weight Limits 8
Accepted Insurance 9
Test Preparations 10
Locations & Contact 13





CT

Abdomen w/o contrast
Abdomen w/contrast
Abdomen w/ & w/o contrast
Abdomen & Pelvis w/o contrast 74176
Abdomen & Pelvis w/contrast 74177
Abdomen & Pelvis w/ & w/o contrast 74178
Adrenals
Ankle w/o contrast
Ankle w/contrast
Ankle w/ & w/o contrast
Arm/Humerus w/o
Arm/Humerus w/contrast
Arm/Humerus w/ & w/o contrast
Ankle Arthrogram
Arthrogram Ankle
Injection
Brain w/o contrast
Brain w/contrast
Brain w/ & w/o contrast
Chest w/o contrast
Chest w/ contrast
Chest w/ & w/o contrast
Clavicle w/o contrast
Clavicle w/contrast
Clavicle w/ & w/o contrast
Coronary Calcium Score
Elbow w/o contrast
Elbow w/contrast
Elbow w/ & w/o contrast
Elbow Arthrogram
Arthrogram Elbow 73085
Injection
Enterography w/contrast
Facet Injections Cervical/Thoracic 64490
Facial Bones w/o contrast 70486
Facial Bones w/contrast

(CT continued)

F : I D
Facial Bones w/ & w/o contrast
Femur w/o contrast
Foot w/o contrast
Foot with contrast
Foot w/ & w/o contrast
Hand w/o contrast
Hand w/contrast
Hand w/ & w/o contrast
Hip Bilateral w/o contrast 73700 x 2
Hip Unilateral w/o contrast 73700
Hip Unilateral w/contrast
Hip Unilateral w/ & w/o contrast
Hip Arthrogram
Arthrogram Hip
Injection
Injection Ankle LT or RT
Injection Facet Unilateral 64493
Injection Facet Bilateral 64493 x 2
Injection Sacroiliac Bilateral 27096 x 2
Injection Sacroiliac LT or RT 27096
Knee w/o contrast
Knee w/ contrast
Knee w/ & w/o contrast
Knee Arthrogram
Arthrogram Knee 73580
Injection
Lower Leg w/o contrast 73700
Lower Leg w/ contrast
Lower Leg w/ & w/o contrast
Low Dose Scan (LDCT) Lung Cancer Screening 71271
Mandible w/o contrast
Mandible w/ contrast 70487
Mandible w/ & w/o contrast 70488
Maxillofacial/Sinuses Survey
Maxillofacial/Sinuses w/o contrast 70486
Maxillofacial/Sinuses w/contrast 70487
Maxillofacial/Sinuses w/ & w/o contrast 70488
Neck, Soft Tissue w/o contrast 70490



(CT continued)

Neck, Soft Tissue w/contrast
Neck, Soft Tissue w/ & w/o contrast 70492
Orbit, Sella, IACS w/o contrast 70480
Orbit, Sella, IACS w/contrast
Orbit, Sella, IACS w/ & w/o contrast 70482
Parathyroid 4D w/ & w/o contrast 70492
Pelvis w/o contrast
Pelvis w/contrast
Pelvis w/ & w/o contrast
Shoulder w/o contrast
Shoulder w/ contrast
Shoulder w/ & w/o contrast
Shoulder Arthrogram
Arthrogram Shoulder
Injection
Spine Cervical w/o contrast
Spine Cervical w/contrast
Spine Cervical w/ & w/o contrast 72127
Spine Lumber w/o contrast 72131
Spine Lumbar w/ contrast
Spine Lumbar w/ & w/o contrast 72133
Spine Thoracic w/o contrast
Spine Thoracic w/contrast
Spine Thoracic w/ & w/o contrast
Temporal Bones w/o contrast 70480
Temporal Bones w/ contrast
Temporal Bones w/ & w/o contrast 70482
Upper Extremity w/o contrast 73200
Upper Extremity w/contrast
Upper Extremity w/ & w/o contrast
Wrist w/o contrast
Wrist w/contrast
Wrist w/ & w/o contrast
Wrist Arthrogram
Arthrogram Wrist
Injection

CTA

CTA Abdomen & Pelvis w/contrast 74174
CTA Abdomen & Pelvis w/ & w/o 74174
CTA Abdomen w/ & w/o
CTA Aorta w/Runoff
CTA Chest w/contrast (AORTA)
CTA Chest w/contrast (PE)
CTA Extremity Lower
CTA Extremity Upper 73206
CTA Head/Brain w/contrast (COW) 70496
CTA Neck/Carotids w/contrast 70498
CTA Pelvis w/contrast
CTA Renals



(MRI continued)	(MRI continued)
Elbow w/ & w/o contrast	Pituitary w/ & w/o contrast (MRPI)
Foot w/o contrast	Rectum w/ & w/o contrast
Foot w/ & w/o contrast	Sacrum w/o contrast
Forearm w/o contrast	Sacrum w/ & w/o contrast
Forearm w/ & w/o contrast	Scapula w/o contrast
Forefoot w/o contrast	Scapula w/ & w/o contrast
Forefoot w/ & w/o contrast	Shoulder w/o contrast
Hand w/o contrast	Shoulder w/ & w/o contrast
Hand w/ & w/o contrast	Spectroscopy
Hindfoot w/o contrast	Spine Cervical w/o contrast
Hindfoot w/ & w/o contrast	Spine Cervical w/ & w/o contrast
Hip w/o contrast	Spine Lumbar w/o contrast
Hip w/ & w/o contrast	Spine Lumbar w/ & w/o contrast
Knee w/o contrast	Spine Thoracic Spine w/o contrast
Knee with contrast	Spine Thoracic Spine w/ & w/o contrast 72157
Knee w/ & w/o contrast	Thigh w/o contrast
Liver Elastography w/o: (charge both)	Thigh w/ & w/o contrast
Abdomen w/o contrast 74181	Thumb w/o contrast
Elastography	TMJ Bilateral w/o contrast 70336
Liver Elastography w/ & w/o: (charge both)	TMJ w/o contrast LT/RT (70336LT, 70336RT) 70336
Abdomen w/ & w/o contrast 74183	Urogram w/o contrast
Elastography	Urogram w/ & w/o contrast
Enterography: (charge both)	Wrist w/o contrast
Abdomen w/ & w/o contrast 74183	
Pelvis w/ & w/o contrast	MARW
Lower Leg w/o contrast	MRV
Lower Leg w/ & w/o contrast	MRV Brain w/o contrast 70544
Lumbar Plexus w/o contrast	MRV Brain w/ & w/o contrast 70546
Lumbar Plexus w/ & w/o contrast 72197	MRV Abdomen
Midfoot w/o contrast	MRV Pelvis
Midfoot w/ & w/o contrast	
MRCP w/o contrast	MADA
Neck w/o contrast	MRA
Orbit/Face w/o contrast 70540	MRA Abdomen with or without (RENAL, AAA) 74185
Orbit/Face w/ & w/o contrast 70543	MRA Aorta w/Runoff
Pelvis w/o contrast	MRA Chest with or without
Pelvis w/ & w/o contrast	MRA Foot Run off



(MRA continued)	
MRA Head w/o (Circle of Willis) 70544	MAMMOGRAPHY
MRA Head w/ & w/o	
MRA Lower Extremity	Screening Mammo Bilateral Digital
MRA Neck w/o contrast 70547	w/Tomo (TG0202)
MRA Neck with contrast (CAROTID) 70548	Tomosynthesis
MRA Neck w/ & w/o contrast (CAROTID) 70549	Screening Mamma Pilatoral Digital
MRA Pelvis with or without contrast	Screening Mammo Bilateral Digital w/Tomo and US (TG0202US)
MRA Upper Extremity with or without contrast .73225	Tomosynthesis
	Breast Ultrasound (if bilateral, charge amt x 2)76641
PET/CT	breast ottrasound (ii bitaterat, charge ant x 2)70041
PET Brain Complete	Screening Mammo Unilateral Digital
PET/CT Skull to Thigh	w/Tomo (TG020252)
PET/CT Bone Whole Body	Tomosynthesis
PET/CT Melanoma Complete	
PET/CT Axumin (Prostate)	Screening Mammo Unilateral Digital
, ,	w/Tomo and US (TG020252US) 7706752
	Tomosynthesis
NUCLEAR MEDICINE	Breast Ultrasound (if bilateral, charge amt x 2)76641
Bone and/or Joint Imaging 3 Phase 78315	
Bone and/or Joint Imaging 3 Phase	Diagnostic Mammo Bilateral Digital
	w/Tomo (TG0204)
Bone Scan Limited	
Bone Scan Limited	w/Tomo (TG0204)
Bone Scan Limited78300Bone Scan Multiple Areas78305Bone Scan SPECT78803Bone Scan Whole Body78306Brain Imaging, Tomography (SPECT)78803	w/Tomo (TG0204)
Bone Scan Limited78300Bone Scan Multiple Areas78305Bone Scan SPECT78803Bone Scan Whole Body78306	w/Tomo (TG0204)77066TomosynthesisG0279Diagnostic Mammo Bilateral Digitalw/Tomo and US (TG0204US)77066
Bone Scan Limited78300Bone Scan Multiple Areas78305Bone Scan SPECT78803Bone Scan Whole Body78306Brain Imaging, Tomography (SPECT)78803Gallium Scan, Localization of Tumor.78801Gastric Emptying Scan78264	w/Tomo (TG0204)77066TomosynthesisG0279Diagnostic Mammo Bilateral Digitalw/Tomo and US (TG0204US)77066TomosynthesisG0279
Bone Scan Limited78300Bone Scan Multiple Areas78305Bone Scan SPECT78803Bone Scan Whole Body78306Brain Imaging, Tomography (SPECT)78803Gallium Scan, Localization of Tumor.78801Gastric Emptying Scan78264Hepatobiliary/Gallbladder Scan.78226	w/Tomo (TG0204)77066TomosynthesisG0279Diagnostic Mammo Bilateral Digitalw/Tomo and US (TG0204US)77066
Bone Scan Limited78300Bone Scan Multiple Areas78305Bone Scan SPECT78803Bone Scan Whole Body78306Brain Imaging, Tomography (SPECT)78803Gallium Scan, Localization of Tumor.78801Gastric Emptying Scan78264Hepatobiliary/Gallbladder Scan.78226Hepatobiliary/Gallbladder Scan w/EF.78227	w/Tomo (TG0204)77066TomosynthesisG0279Diagnostic Mammo Bilateral Digitalw/Tomo and US (TG0204US)77066TomosynthesisG0279Breast Ultrasound (if bilateral, charge amt x 2).76641
Bone Scan Limited78300Bone Scan Multiple Areas78305Bone Scan SPECT78803Bone Scan Whole Body78306Brain Imaging, Tomography (SPECT)78803Gallium Scan, Localization of Tumor.78801Gastric Emptying Scan78264Hepatobiliary/Gallbladder Scan.78226Hepatobiliary/Gallbladder Scan w/EF.78227Liver/Spleen.78215	w/Tomo (TG0204)77066TomosynthesisG0279Diagnostic Mammo Bilateral Digitalw/Tomo and US (TG0204US)77066TomosynthesisG0279Breast Ultrasound (if bilateral, charge amt x 2).76641Diagnostic Mammo Unilateral Digital
Bone Scan Limited78300Bone Scan Multiple Areas78305Bone Scan SPECT78803Bone Scan Whole Body78306Brain Imaging, Tomography (SPECT)78803Gallium Scan, Localization of Tumor.78801Gastric Emptying Scan78264Hepatobiliary/Gallbladder Scan.78226Hepatobiliary/Gallbladder Scan w/EF.78227Liver/Spleen.78215Parathyroid Scan.78070	w/Tomo (TG0204)77066TomosynthesisG0279Diagnostic Mammo Bilateral Digitalw/Tomo and US (TG0204US)77066TomosynthesisG0279Breast Ultrasound (if bilateral, charge amt x 2).76641Diagnostic Mammo Unilateral Digitalw/Tomo (TG0206)77065
Bone Scan Limited78300Bone Scan Multiple Areas78305Bone Scan SPECT78803Bone Scan Whole Body78306Brain Imaging, Tomography (SPECT)78803Gallium Scan, Localization of Tumor.78801Gastric Emptying Scan78264Hepatobiliary/Gallbladder Scan.78226Hepatobiliary/Gallbladder Scan w/EF.78227Liver/Spleen.78215	w/Tomo (TG0204)77066TomosynthesisG0279Diagnostic Mammo Bilateral Digitalw/Tomo and US (TG0204US)77066TomosynthesisG0279Breast Ultrasound (if bilateral, charge amt x 2).76641Diagnostic Mammo Unilateral Digital
Bone Scan Limited78300Bone Scan Multiple Areas78305Bone Scan SPECT78803Bone Scan Whole Body78306Brain Imaging, Tomography (SPECT)78803Gallium Scan, Localization of Tumor.78801Gastric Emptying Scan78264Hepatobiliary/Gallbladder Scan.78226Hepatobiliary/Gallbladder Scan w/EF.78227Liver/Spleen.78215Parathyroid Scan.78070Thyroid Uptake Scan.78014	w/Tomo (TG0204)77066TomosynthesisG0279Diagnostic Mammo Bilateral Digitalw/Tomo and US (TG0204US)77066TomosynthesisG0279Breast Ultrasound (if bilateral, charge amt x 2).76641Diagnostic Mammo Unilateral Digitalw/Tomo (TG0206)77065
Bone Scan Limited78300Bone Scan Multiple Areas78305Bone Scan SPECT78803Bone Scan Whole Body78306Brain Imaging, Tomography (SPECT)78803Gallium Scan, Localization of Tumor.78801Gastric Emptying Scan78264Hepatobiliary/Gallbladder Scan.78226Hepatobiliary/Gallbladder Scan w/EF.78227Liver/Spleen.78215Parathyroid Scan.78070Thyroid Uptake Scan.78014	w/Tomo (TG0204)77066TomosynthesisG0279Diagnostic Mammo Bilateral Digitalw/Tomo and US (TG0204US)77066TomosynthesisG0279Breast Ultrasound (if bilateral, charge amt x 2).76641Diagnostic Mammo Unilateral Digitalw/Tomo (TG0206)77065TomosynthesisG0279
Bone Scan Limited78300Bone Scan Multiple Areas78305Bone Scan SPECT78803Bone Scan Whole Body78306Brain Imaging, Tomography (SPECT)78803Gallium Scan, Localization of Tumor.78801Gastric Emptying Scan78264Hepatobiliary/Gallbladder Scan.78226Hepatobiliary/Gallbladder Scan w/EF.78227Liver/Spleen.78215Parathyroid Scan.78070	w/Tomo (TG0204)77066TomosynthesisG0279Diagnostic Mammo Bilateral Digital77066w/Tomo and US (TG0204US)77066TomosynthesisG0279Breast Ultrasound (if bilateral, charge amt x 2).76641Diagnostic Mammo Unilateral Digital77065TomosynthesisG0279Diagnostic Mammo Unilateral Digital77065TomosynthesisG0279

Vertebral Fracture Assessment with DEXA . . . 77085



ULTRASOUND X-RAY Abdomen Series Complete (w/Upright CXR). . . .74022 Abdominal Aorta, Screening AAA..... 76706 Arm, Leg, or Groin Non Vascular, Limited 76882 C-Spine Complete 4 or 5 views 72050 Echoencephalogram (Infant Brain) 76506 Chest 2 view (PA & LAT) 71046 Graft Scan Unilateral LT/RT 93926 Elbow Complete (Min 3 view) LT or RT 73080 OB 14 weeks or over multiple transabdominal. . 76802 OB 14 weeks or over single transabdominal . . . 76805 OB Under 14 weeks single transabdominal. 76801 Foot 2 views (AP & LAT) LT or RT. 73620 Scrotum and Content with Duplex 76870 Venous Doppler Bilateral Extremity, Knee 4 views or more LT or RT 73564 Venous Doppler Left or Right Upper



(X-RAY continued)

(A RAI continued)
L-Spine Complete Minimum 4 views 72110
L-Spine Flexion & Extension
L-Spine 2 or 3 views
Mandible Complete Minimum 4 views 70110
Mastoids
Nasal Bones Complete Minimum 3 views 70160
Neck, Soft Tissue
Orbits Complete minimum 4 views 70200
Orbits Foreign Body 70030
Pelvis one or two views
Ribs Unilateral LT or RT
Ribs Unilateral LT or RT with CXR 1 view 71101
Ribs Bilateral 3 views
Ribs Bilateral with CXR 1 view 71111
SI Joints Complete
Sacrum and Coccyx
Scapula RT or LT
Scoliosis Study
Shoulder LT or RT
Shunt Series
Sinuses Complete minimum 3 views 70220
Skull Complete minimum 4 views 70260
Spine 1 view (Any site)
Spine Entire (AP & LAT of C, T, & L Spine) 72084
SC Joints
Sternum
Thoracic Spine 3 view
Thoracic Spine 2 views (AP & LAT) 72070
TMJ Bilateral
Thoracolumbar 2 views (AP & LAT) 72080
TIB/FIB LT or RT
Toes LT or RT
Wrist 2 views LT or RT
Wrist Complete LT or RT



Scan Table Weight Limits (in pounds)

TABLE LIMITS	Medical Imaging Center	Medical Imaging Center at Windsor Oaks	Women's Imaging Center	TimberRidge Imaging Center	TimberRidge Imaging Center Heathbrook Pavilion
MRI 1.5T	350	350	-	-	550
MRI 3T	-	550	-	-	-
Open MRI	-	-	-	660	-
XR/FL	250/350/425	-	-	250/350/425	-
XR	-	250	-	-	600
СТ	500	-	-	500	500
PET/CT	-	500	-	-	-
NM	-	400	-	-	-
DEXA	-	-	300	300	300
Stereo	-	-	350	-	-



Accepted Insurance

We are proudly contracted with a variety of insurances and file all claims with the exception of non-contracted HMO's. Please see below for a detailed list of who we are contracted with.

Adventist Health First Health

- Oscar Health
- Evolution HealthCare

Aetna/Coventry (including MA Plans)

- Coventry Healthy Kids
- Health Scope
- GEHA
- Meritain Health
- Core Source

Assurant (as long as the plan accesses an insurance company we're already contracted with)

Blue Cross & Blue Shield

CarePlus Medicare Advantage

Cigna

- Capital Admn
- NALC
- Samba
- APWU

Devoted Health (HMO, PPO and PFFS)

Hospice

Freedom Health Medicare Advantage

Marion County School Board - Sports & Special Activities (parent's personal insurance is primary)

Florida Medicaid

- Interplan/Accountable
- Sunshine State Health

Medicare

Optimum Health Medicare Advantage

Prime Healthcare Network

Spreemo Work Comp Network

Tricare Select - Participating out-of-network provider (all exams require authorizations)

Ultimate Health Plans

United Healthcare

- AARP (MA Plan)
- Evercare (MA Plan)
- Evolutions
- Golden Rule
- Secure Horizons (MA Plan)
- UMR
- Shared Services
- Student Resources
- Logistic Health
- Integrated Health Plan
- AVMA
- WellMed (MA Plan)

USA Managed Care Organization (aka Alter Net)

Veteran's Administration - Authorization is required for ALL exams

WC Comp Options

Don't see your insurance listed here? Give us a call at (352) 671-4300 and we will let you know if or how we can work with you to serve your needs.

Effective Date: 01/2023



Test Preparations

For more information please call (352) 671-4300 or visit us online at: www.raocala.com/patient-preps-index

The patient may still take prescribed medicines with a small amount of water.

BREAST ASPIRATION

For your convenience, please wear a two-piece outfit. Do not use deodorant, powder, or perfume under the arm or breast area.

BREAST MRI

If you need sedation for claustrophobia, you must have someone else drive you to and from your exam. We call all patients two to three days before their appointments to confirm your appointment time and to determine the patient's physical eligibility for an MRI. If you are unable to receive our call or if you have any questions, please call us at (352) 671-4300.

- Do not wear jewelry
- Do not wear anything with metal (zippers, snaps, hooks.) Athletic wear with elastic waistband is a good choice.

BREAST ULTRASOUND

For your convenience, please wear a two-piece outfit. Do not use deodorant, powder, or perfume under the arm or breast area.

CT (CAT SCAN)

CT's of the abdomen and pelvis usually require a 24 hour prep. You may be asked not to eat or drink anything for one or more hours before your exam. The prep supplies for CT abdomen and pelvis exams are available for you to pick up at the location where your exam is scheduled. If you have any questions regarding your exam, please call (352) 671-4300.

CT ANGIOGRAPHY (CTA)

You will be asked not to eat or drink anything for one or more hours before your exam. If you have any questions regarding your exam, please call (352) 671-4300.

CT ENTEROGRAPHY

You will be asked not to eat or drink anything for four hours before your exam. You will need to arrive 1.5 hours prior to your appointment time to begin the oral prep. If you have any questions regarding your exam, please call (352) 671-4300.

DEXA (BONE DENSITOMETRY)

- No calcium supplements or osteoporosis medication 24 hours prior to your exam.
- No barium, nuclear medicine or I.V. contrast exams within 7 days prior your exam.
- Please wear comfortable clothes and avoid metal buttons or buckles.

3D MAMMOGRAPHY/TOMOSYNTHESIS

For your convenience, please wear a two-piece outfit. Do not use deodorant, powder, or perfume under the arm or breast area.

Please bring your most recent mammogram if done at a facility other than Women's Imaging Center or TimberRidge Imaging Center.



Test Preparations

For more information please call (352) 671-4300 or visit us online at: www.raocala.com/patient-preps-index

FLUOROSCOPY

BARIUM ENEMA

24-hour prep done the day before exam:

Breakfast Liquid diet. No sugar. No dairy.

Noon Light lunch. Clear soup, unsweetened fruit juices, sugar-free gelatin, black coffee or plain tea. No milk or cream.

1:00 PM Drink 8 ounces of water.

2:00 PM Drink 8 ounces of water.

3:00 PM Drink 8 ounces of water.

4:00 PM Drink 8 ounces of water.

5:00 PM Liquid dinner. Clear soup, unsweetened fruit juices, sugar-free gelatin, black coffee or plain tea. No milk or cream.

5:30 PM Drink one 10-ounce bottle of Magnesium Citrate.

6:00 PM Drink 8 ounces of water.

7:00 PM Drink 8 ounces of water.

8:00 PM Drink 8 ounces of water.

9:00 PM Drink 8 ounces of water.

9:30 PM Take 3 Bisacodyl tablets with water. Do not chew.

Morning of Exam

- Do not eat or drink. You may take any prescribed medications, except for those that must be taken with food.
- Administer Bisacodyl suppository.
- Diabetic patients may have a liquid breakfast (12 ounces of sweetened fruit juice) and take their medication.

Gastrointestinal Series (UGI and/or Small Bowel)

Nothing by mouth after midnight (this includes water). No water should be drank after midnight.

Intravenous Pyelogram or Nephrotomography

- Clear liquid diet (no milk products) starting at noon on the day before the exam. Sugar substitutes are permitted.
- Three Bisacodyl (do not chew) with two, 8-ounce glasses of water at 4:00 PM.
- Do not take anything by mouth 3 hours prior to the exam. You may take any prescribed medications except for those that must be taken with food.

MRI

If you need sedation for claustrophobia, you must have someone else drive you to and from your exam. We call all patients one to three days before their appointment to confirm your appointment time and to determine the patient's physical eligibility for an MRI. If you are unable to receive our call or if you have any questions, please call us at (352) 671-4300.

- Do not wear jewelry
- Do not wear anything with metal (zippers, snaps, hooks.) Athletic wear with elastic waistband is a good choice.
- Patients having an MRI of the head or neck should not wear makeup.

MRI GUIDED BREAST BIOPSY

We call all patients two to three days before their appointments to confirm your appointment time and to determine the patient's physical eligibility for an MRI. If you are unable to receive our call or if you have any questions, please call us at (352) 671-4300.

There are several things you can do to make your procedure easier, more efficient and more comfortable.

- Do not wear jewelry
- Do not wear anything with metal (zippers, snaps, hooks.) Athletic wear with elastic waistband is a good choice.
- Discuss any medication you are taking with your clinician. You may be asked to stop the use of bloodthinning medications, including aspirin, a number of days prior to your biopsy procedure.
- Do not use deodorant, powder, or perfume under the arm or breast area. They may interfere with the quality of the images taken during your procedure.
- Eat a light meal before your procedure.



Test Preparations

For more information please call (352) 671-4300 or visit us online at: www.raocala.com/patient-preps-index

PET/CT

- Must be able to lie still for up to 90 minutes.
- Do not wear anything with metal (zippers, snaps, hooks). Athletic wear with elastic waistband is a good choice.
- Take necessary pain medications before leaving home and bring additional pain medication with you at time of visit.
- Claustrophobic patients should take Valium prior to leaving home and arrive with a driver.
- May take any other prescribed medications, as long as they can be tolerated on an empty stomach.
- No food for 6 hours prior to study. May drink water, but no other type of liquid is allowed.
- Glucose levels will be checked prior to exam.
- Insulin dependent patients may bring insulin with them to be administered after their scan.
- No physical activity for 48 hours prior to exam.

STEREOTACTIC BREAST BIOPSY

There are several things you can do to make your procedure easier, more efficient and more comfortable.

- Discuss any medication you are taking with your clinician. You may be asked to stop the use of bloodthinning medications, including aspirin, a number of days prior to your biopsy procedure.
- Wear a two-piece outfit that is comfortable and easy to remove.
- Do not use deodorant, powder, or perfume under the arm or breast area. They may interfere with the quality of the images taken during your procedure.
- Eat a light meal before your procedure.

NUCLEAR MEDICINE DATSCAN

You and your neurologist will need to confirm the medications you are currently taking with the radiologist at RAO, and may be asked to discontinue their use before having a DaTscan.

NUCLEAR MEDICINE GALLIUM SCAN

There is no preparation before the first day of your exam, however, during your first visit you will receive a laxative to use at home that afternoon before your scan on day 2.

NUCLEAR MEDICINE GASTRIC EMPTYING SCAN

- 1. NPO for 6 8 hours
- 2. Do not take meds that contain morphine, Demoral or other opiates (Narcotics) for 48 hours before scan.
- 3. Do not take antispasmodic medications for 48 hours before scan (see attached list)
- 4. Do not take Reglan or Erythromycin for 48 hours before scan
- 5. Do not take laxatives day prior to the exam
- 6. Exam takes up to 3 hours

DOSAGE:

1. mCi Sulfur Colloid is consumed by mouth, with oatmeal.

NUCLEAR MEDICINE THYROID SCAN

If you are on thyroid medications or preparations that contain iodine, you will be asked to stop taking these medications. Depending on the type of medication you are taking, we will make sure you have discontinued taking it for the appropriate amount of time before the thyroid scan. This can be up to 6 weeks prior to the scan.



Locations & Contact

PO Box 6200 Ocala, Florida 34478-6200

Scheduling: (352) 671-4300

Fax: (352) 732-8010

Medical Imaging Center

1490 SE Magnolia Extension, Ocala, FL 34471 **Hours:** Monday–Friday, 8:00 AM to 5:00 PM

TimberRidge Imaging Center

9521 SW State Rd 200, Ocala, FL 34481 **Hours:** Monday–Friday, 8:00 AM to 5:00 PM

TimberRidge Imaging Center Heathbrook Pavilion

3949 SW College Road, Suite 150, Ocala, FL 34474 **Hours:** Monday–Friday, 7:30 AM to 5:00 PM

Medical Imaging Center at Windsor Oaks and the Women's Imaging Center

1901 SE 18th Avenue, Building 200, Ocala, FL 34471 **Hours:** Monday-Friday, 7:00 AM to 5:00 PM

Center For Vascular Health

For appointments, please call: **(352) 671-4252**Services performed by our interventional radiologists are performed at various locations and local hospitals.



@RAOcala



@RAOcala



@RadiologyAssociatesOfOcala

www.RAOcala.com



Radiology Associates of Ocala offers the use of web-based applications for ordering studies and viewing images. It is our goal to always enhance the workflow of referring physicians and

their staff to minimize or eliminate wait time on a phone and maximize image quality of the final product. Both programs are easily installed by your RAO Marketing Representative.

Please contact your representative to schedule an installation and training session:

Amanda Yancey

352-671-4234 amanda.yancey@raocala.com



A board certified radiologist is always available to ensure the highest quality of care for your patients.